

# **FHIR Practitioner**

Base Path: integration.dentaquest.com/ws/rest

#### Version: 1.0

The FHIR Practitioner API allows you to search for and look up practitioners so that they can be correctly attributed to the activities they were involved in. The endpoint provides the ability to:

- Retrieve all Practitioner resources that match a search criteria.
- Retrieve one or more Practitioner resources based on their resource ID.

This API is based on the FHIR standard, version 4.0.1.

**Authorization:** API Key authorization is required to access the resources of this API. Once approved, consumers will receive a valid API Key via email.

## **Methods**

#### **Search for Practitioners**

GET [base\_path]/v1/fhir/payerdirectory/Practitioner/

This method returns details of practitioners that match the supplied search criteria. Practitioner searches may be performed by supplying one of the following minimum criteria. Either:

- \_id, or
- One (or more) of the following optional filters:
  - o name
  - o name.given
  - o name.family
  - o *identifier*

## Parameters

| Name             | Туре  | Data Type | Description  |
|------------------|-------|-----------|--|
| _id<br>optional  | query | string    | The id of the Practitioner source  |
|                  |       |           | Sample Value: DH-8e3fgfd0-f5cd-4cc9-b99j-<br>081008f738fa                    |
| name<br>optional | query | string    | Fragment of either family or given name of the<br>Practitioner to search for |
|                  |       |           | Sample Value: demo provider  |



| name.given<br>optional  | query | string | Fragment of given name of the Practitioner to search for <b>Sample Value:</b> demo   |
|-------------------------|-------|--------|--|
| name.family<br>optional | query | string | Fragment of family name of the Practitioner to search for <b>Sample Value:</b> provider  |
| identifier<br>optional  | query | string | The identifier for the practitioner which consists of<br>practitioner identifier namespace, also known as<br>the <i>system</i> , and identifier, separated using a URL<br>encoded   character i.e. %7c.<br><b>Sample Value:</b> http://hl7.org/fhir/sid/us-<br>npi 15786772312 |

## Responses

application/json+fhir

#### 200

Returns a FHIR Bundle containing 0..\* OperationOutcome resources and 0..\* Practitioner resources

#### **Retrieve a single Practitioner**

GET [base\_path]/v1/fhir/payerdirectory/Practitioner/{id}

This method returns the Practitioner resource matching the requested resource ID.

## **Parameters**

| Name     | Туре | Data Type | Description                               |
|----------|------|-----------|---|
| id       | path | string    | The id of the Practitioner source         |
| required |      |           |   |
|          |      |           | Sample Value: DH-8e3fgfd0-f5cd-4cc9-b99j- |
|          |      |           | 081008f738fa                              |

## Responses



application/json+fhir

200

Returns a Practitioner resource matching the requested resource ID.